

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product information

**Product name** : MMCD Fabric Softner - Rain Water

**Recommended use** : Laundry

**Restrictions on use** : Use only as directed on label

**Manufacturer, importer, supplier** : Caldrea  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +1-800-558-5252

**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

#### Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

#### Labelling

#### Precautionary statements

**Other hazards** : None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Ethanaminium, 2-hydroxy-N,N-bis(2-	157905-74-3	10.00 - 30.00

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt		
Fragrance - Trade Secret	Mixture	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.caldrea.com](http://www.caldrea.com).

### 4. FIRST AID MEASURES

#### Description of first aid measures

- Eye contact** : No special requirements
- Skin contact** : No special requirements
- Inhalation** : No special requirements.
- Ingestion** : No special requirements

#### Most important symptoms and effects, both acute and delayed

- Eyes** : No adverse effects expected when used as directed.
- Skin effect** : No adverse effects expected when used as directed.
- Inhalation** : May cause respiratory tract irritation.
- Ingestion** : No adverse effects expected when used as directed.

#### Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing** : Use water spray, alcohol-resistant foam, dry chemical or

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

**media** carbon dioxide.

**Specific hazards during firefighting** : Container may melt and leak in heat of fire.

**Further information** : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Wash thoroughly after handling.

**Environmental precautions** : Outside of normal use, avoid release to the environment.

**Methods and materials for containment and cleaning up** : Dike large spills.  
Clean residue from spill site.

### 7. HANDLING AND STORAGE

#### Handling

**Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
KEEP OUT OF REACH OF CHILDREN AND PETS.

**Advice on protection against fire and explosion** : Normal measures for preventive fire protection.

#### Storage

**Requirements for storage areas and containers** : Keep container closed when not in use.

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational Exposure Limits

Components	CAS-No.	mg/m <sup>3</sup>	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m <sup>3</sup>	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

#### Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form** : liquid

**Color** : white

**Odour** : Marine/Ozone

**Odour Threshold** : Test not applicable for this product type

**pH** : 2.40 - 3.25

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

at (25 °C)

<b>Melting point/freezing point</b>	: 0 °C
<b>Initial boiling point and boiling range</b>	: Test not applicable for this product type
<b>Flash point</b>	: does not flash
<b>Evaporation rate</b>	: Test not applicable for this product type
<b>Flammability (solid, gas)</b>	: Does not sustain combustion.
<b>Upper/lower flammability or explosive limits</b>	: Test not applicable for this product type
<b>Vapour pressure</b>	: Test not applicable for this product type
<b>Vapour density</b>	: Test not applicable for this product type
<b>Relative density</b>	: 1 g/cm <sup>3</sup> at 25 °C
<b>Solubility(ies)</b>	: soluble
<b>Partition coefficient: n-octanol/water</b>	: Test not applicable for this product type
<b>Auto-ignition temperature</b>	: Test not applicable for this product type
<b>Decomposition temperature</b>	: Test not applicable for this product type

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

<b>Viscosity, dynamic</b>	:	< 100 mPa.s	:
<b>Viscosity, kinematic</b>	:	Test not applicable for this product type	:
<b>Oxidizing properties</b>	:	Test not applicable for this product type	:
<b>Volatile Organic Compounds Total VOC (wt. %)*</b>	:	2.5 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	:
<b>Other information</b>	:	None identified	:

### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	:	Stable under recommended storage conditions.	:
<b>Chemical stability</b>	:	Stable under recommended storage conditions.	:
<b>Possibility of hazardous reactions</b>	:	Stable under recommended storage conditions.	:
<b>Conditions to avoid</b>	:	Direct sources of heat.	:
<b>Incompatible materials</b>	:	None known.	:
<b>Hazardous decomposition products</b>	:	Thermal decomposition can lead to release of irritating gases and vapours.	:

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

### 11. TOXICOLOGICAL INFORMATION

**Acute oral toxicity** : LD50 > 5000 mg/kg

**Acute inhalation toxicity** : LC50 > 10 mg/L

**Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ	No classification proposed	-

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

toxicity - repeated exposure		
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

## 12. ECOLOGICAL INFORMATION

**Product** : The product itself has not been tested.

### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt	No data available			
Fragrance - Trade Secret	No data available			

### Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt	No data available			
Fragrance - Trade Secret	No data available			



# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

### Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	No data available			
Fragrance - Trade Secret	No data available			

### Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	66.2 %	28 d	Readily biodegradable.
Fragrance - Trade Secret	No data available		

### Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	No data available	No data available
Fragrance - Trade Secret	No data available	No data available

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

### Mobility

Component	End point	Value
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	No data available	
Fragrance - Trade Secret	No data available	

### PBT and vPvB assessment

Component	Results
Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsaturated fatty acids, methyl sulfates (salt)	Not fulfilling PBT and vPvB criteria
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

### Land transport

Not classified as dangerous in the meaning of transport regulations.

### Sea transport

Not classified as dangerous in the meaning of transport regulations.

### Air transport

Not classified as dangerous in the meaning of transport regulations.

# Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

## MMCD Fabric Softner - Rain Water

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

### 15. REGULATORY INFORMATION

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

### 16. OTHER INFORMATION

#### HMIS Ratings

<b>Health</b>	0
<b>Flammability</b>	0
<b>Reactivity</b>	0

#### NFPA Ratings

<b>Health</b>	0
<b>Fire</b>	0
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

# **Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

## **MMCD Fabric Softner - Rain Water**

Version 1.1

Print Date 06/28/2021

Revision Date 06/10/2020

SDS Number 350000038772

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	---